



| DRAWING    | DIMENSIONS                                   | BODY MATERIAL                 |
|------------|----------------------------------------------|-------------------------------|
| 3BF1-054XP | D 75-T 6-H20.00-U 3-X 8-V65-R 0.1-U1=0.191   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-058XP | D 75-T 6-H20.00-U 3-X 8-V70-R 0.5-U1=0.970   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-083SM | D 75-T 6-H20.00-U 3-X10-V60-R 0.3-U1=0.56    | STEEL BODY FOR METAL BOND     |
| 3BF1-062SM | D 75-T 6-H20.00-U 3-X10-V70-R 0.1-U1=0.194   | STEEL BODY FOR METAL BOND     |
| 3BF1-082SM | D 75-T 6-H20.00-U 3-X10-V70-R 0.3-U1=0.582   | STEEL BODY FOR METAL BOND     |
| 3BF1-053CP | D 75-T 6-H20.00-U 4-X 8-V50-R 0.1-U1=0.177   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-041CP | D 75-T 6-H31.75-U 4-X 8-V50-R 0.1-U1=0.177   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-042CP | D 75-T 6-H31.75-U 4-X 8-V55-R 0.2-U1=0.364   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-048CP | D 75-T 6-H31.75-U 4-X 8-V65-R 0.2-U1=0.381   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-057XP | D 80-T 6-H20.00-U 3-X10-V70-R 0.25-U1=0.485  | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-060XP | D100-T 6-H20.00-U 2-X10-V75-R 0.15-U1=0.295  | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-061SM | D100-T 6-H20.00-U 3-X10-V70-R 0.1-U1=0.194   | STEEL BODY FOR METAL BOND     |
| 3BF1-081SM | D100-T 6-H20.00-U 3-X10-V70-R 0.3-U1=0.582   | STEEL BODY FOR METAL BOND     |
| 3BF1-071XP | D100-T 6-H20.00-U 3-X10-V72-R 0.9-U1=1.756   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-072XP | D100-T 6-H20.00-U 3-X10-V77-R 0.9-U1=1.777   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-086CP | D100-T 6-H20.00-U 4-X10-V45-R 0.5-U1=0.854   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-073CP | D100-T 6-H20.00-U 4-X10-V50-R 0.8-U1=1.413   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-040CP | D100-T 6-H31.75-U 4-X10-V50-R 0.2-U1=0.353   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-045CP | D100-T 6-H31.75-U 4-X13.5-V65-R 0.2-U1=0.381 | COPPER BODY FOR POLYIMIDE     |
| 3BF1-002XP | D100-T10-H20.00-U 5-X10-V45-R 0.5-U1=0.85    | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-003CP | D100-T10-H20.00-U 8-X10-V45-R 0.5-U1=0.85    | COPPER BODY FOR POLYIMIDE     |
| 3BF1-087CP | D125-T 6-H20.00-U 4-X10-V45-R 0.25-U1=0.427  | COPPER BODY FOR POLYIMIDE     |
| 3BF1-044CP | D125-T 6-H20.00-U 4-X10-V60-R 0.2-U1=0.373   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-038PR | D125-T 6-H25.00-U 2-X 6-V55-R 0.15-U1=0.15   | PRESS ALU. BODY FOR RESIN     |
| 3BF1-039XP | D125-T 6-H25.00-U 3-X10-V55-R 0.3-U1=0.3     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-001XP | D125-T 8-H31.75-U 4-X10-V55-R 0.5-U1=0.5     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-043XP | D140-T 8-H50.00-U 3-X10-V97-R 0.5-U1=0.439   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-085XP | D150-T 8-H20.00-U 3-X10-V50-R 1.25-U1=1.25   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-076XP | D150-T 8-H20.00-U 3-X10-V50-R 1.5-U1=1.5     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-084XP | D150-T 8-H20.00-U 3-X10-V50-R 1-U1=1         | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-074XP | D150-T 8-H20.00-U 4-X10-V50-R 1.75-U1=1.75   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-075XP | D150-T 8-H20.00-U 4-X10-V50-R 2-U1=2         | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-063XP | D150-T 8-H20.00-U 4-X10-V55-R 0.5-U1=0.5     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-059XP | D150-T 8-H20.00-U 4-X10-V55-R 0.6-U1=0.6     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-049XP | D150-T 8-H20.00-U 4-X10-V55-R 0.8-U1=0.8     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-050XP | D150-T 8-H20.00-U 4-X10-V55-R 1-U1=1         | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-051XP | D150-T 8-H20.00-U 4-X10-V55-R 1.2-U1=1.2     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-052XP | D150-T 8-H20.00-U 4-X10-V55-R 1.4-U1=1.4     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-055XP | D150-T 8-H20.00-U 5-X10-V40-R 0.69-U1=1.134  | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-056XP | D150-T 8-H20.00-U 5-X10-V40-R 0.99-U1=1.626  | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-077XP | D150-T 8-H20.00-U 5-X10-V50-R 2.25-U1=2.25   | ALU+COPPER BODY FOR POLYIMIDE |



| DRAWING    | DIMENSIONS                                     | BODY MATERIAL                 |
|------------|------------------------------------------------|-------------------------------|
| 3BF1-078XP | D150-T 8-H20.00-U 5-X10-V50-R 2.5-U1=2.5       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-080XP | D150-T 8-H20.00-U 5-X10-V60-R 2.5-U1=2.5       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-079XP | D150-T 8-H20.00-U 5-X10-V60-R 3 -U1=3          | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-066PR | D150-T 8-H31.75-U 2-X10-V55-R 0.05-U1=0.05     | PRESS ALU. BODY FOR RESIN     |
| 3BF1-065PR | D150-T 8-H31.75-U 2-X10-V55-R 0.1-U1=0.1       | PRESS ALU. BODY FOR RESIN     |
| 3BF1-024PR | D150-T 8-H32.00-U 3-X10-V60-R 0.5-U1=0.5       | PRESS ALU. BODY FOR RESIN     |
| 3BF1-029PR | D150-T 8-H32.00-U 3-X10-V60-R 1-U1=1           | PRESS ALU. BODY FOR RESIN     |
| 3BF1-012PR | D150-T 8-H40.00-U 2-X 6-V45.5-R 0.25-U1=0.25   | PRESS ALU. BODY FOR RESIN     |
| 3BF1-013PR | D150-T 8-H40.00-U 3-X 6-V45.5-R 0.525-U1=0.525 | PRESS ALU. BODY FOR RESIN     |
| 3BF1-014PR | D150-T 8-H40.00-U 4-X 6-V45.5-R 0.9-U1=0.9     | PRESS ALU. BODY FOR RESIN     |
| 3BF1-016PR | D150-T 8-H40.00-U 4-X 6-V45.5-R1.25-U1=1.25    | PRESS ALU. BODY FOR RESIN     |
| 3BF1-018PR | D150-T 8-H40.00-U 6-X 6-V45.5-R1.65-U1=1.65    | PRESS ALU. BODY FOR RESIN     |
| 3BF1-023XP | D150-T 8-H50.00-U 2.7-X 6-(special)            | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-004XP | D150-T 8-H50.00-U 2-X 6-(special)              | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-009XP | D150-T 8-H50.00-U 2-X 6-V45.5-R 0.25-U1=0.25   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-030XP | D150-T 8-H50.00-U 2-X 6-V55-R 0.6-U1=1.09      | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-021PR | D150-T 8-H50.00-U 2-X10-V55-R 0.30-U1=0.30     | PRESS ALU. BODY FOR RESIN     |
| 3BF1-022XP | D150-T 8-H50.00-U 3.2-X 6-(special)            | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-010XP | D150-T 8-H50.00-U 3-X 6-V45.5-R 0.525-U1=0.525 | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-035XP | D150-T 8-H50.00-U 3-X10-V55-R 0.5-U1=0.5       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-019PR | D150-T 8-H50.00-U 3-X10-V55-R 0.6-U1=0.6       | PRESS ALU. BODY FOR RESIN     |
| 3BF1-019XP | D150-T 8-H50.00-U 3-X10-V55-R 0.6-U1=0.6       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-036PR | D150-T 8-H50.00-U 3-X10-V55-R 0.8-U1=0.8       | PRESS ALU. BODY FOR RESIN     |
| 3BF1-036XP | D150-T 8-H50.00-U 3-X10-V55-R 0.8-U1=0.8       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-006PR | D150-T 8-H50.00-U 3-X10-V55-R 1 -U1=1          | PRESS ALU. BODY FOR RESIN     |
| 3BF1-006XP | D150-T 8-H50.00-U 3-X10-V55-R 1 -U1=1          | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-020PR | D150-T 8-H50.00-U 3-X10-V55-R 1.2 -U1=1.2      | PRESS ALU. BODY FOR RESIN     |
| 3BF1-020XP | D150-T 8-H50.00-U 3-X10-V55-R 1.2-U1=1.2       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-007PR | D150-T 8-H50.00-U 3-X10-V55-R 1.35-U1=1.35     | PRESS ALU. BODY FOR RESIN     |
| 3BF1-007XP | D150-T 8-H50.00-U 3-X10-V55-R 1.35-U1=1.35     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-033XP | D150-T 8-H50.00-U 3-X10-V55-R 1.5-U1=1.5       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-037XP | D150-T 8-H50.00-U 3-X10-V55-R 1.7 -U1=1.7      | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-011XP | D150-T 8-H50.00-U 4-X 6-V45.5-R 0.9-U1=0.9     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-015XP | D150-T 8-H50.00-U 4-X 6-V45.5-R 1.25-U1=1.25   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-067XP | D150-T 8-H50.00-U 4-X10-V55-R 0.8-U1=0.8       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-069XP | D150-T 8-H50.00-U 4-X10-V55-R 1 -U1=1          | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-068XP | D150-T 8-H50.00-U 4-X10-V55-R 1.2-U1=1.2       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-070XP | D150-T 8-H50.00-U 4-X10-V55-R 1.4-U1=1.4       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-025XP | D150-T 8-H50.00-U 4-X10-V55-R 1.75-U1=1.75     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-064XP | D150-T 8-H50.00-U 4-X10-V55-R 1.7-U1=1.7       | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-034XP | D150-T 8-H50.00-U 4-X10-V55-R 2-U1=2           | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-026XP | D150-T 8-H50.00-U 5-X10-V55-R 2.2-U1=2.2       | ALU+COPPER BODY FOR POLYIMIDE |



| DRAWING    | DIMENSIONS                                   | BODY MATERIAL                 |
|------------|----------------------------------------------|-------------------------------|
| 3BF1-031XP | D150-T 8-H50.00-U 5-X10-V55-R 2.4-U1=2.4     | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-017CP | D150-T 8-H50.00-U 6-X 6-V45.5-R 1.65-U1=1.65 | COPPER BODY FOR POLYIMIDE     |
| 3BF1-027CP | D150-T 8-H50.00-U 6-X10-V55-R 2.55-U1=2.55   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-028CP | D150-T 8-H50.00-U 6-X10-V55-R 2.95-U1=2.95   | COPPER BODY FOR POLYIMIDE     |
| 3BF1-032CP | D150-T 8-H50.00-U 6-X10-V55-R 3-U1=3         | COPPER BODY FOR POLYIMIDE     |
| 3BF1-046XP | D150-T 8-H50.80-U 5-X10-V39-R 0.69-U1=1.124  | COPPER BODY FOR POLYIMIDE     |
| 3BF1-047XP | D150-T 8-H50.80-U 5-X10-V39-R 0.99-U1=1.613  | COPPER BODY FOR POLYIMIDE     |
| 3BF1-005XP | D150-T10-H50.00-U 4-X10-V55-R 0.20-U1=0.36   | ALU+COPPER BODY FOR POLYIMIDE |
| 3BF1-008CP | D150-T10-H50.00-U 8-X 6-V10-R 3-U1=3         | COPPER BODY FOR POLYIMIDE     |